

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Toshiya OHTOMO et al.

Application No.: 09/327,621

Filed: June 8, 1999



ATTN: Application Branch

Docket No.: 101809.03

For: STAGE UNIT, DRIVE TABLE, AND SCANNING EXPOSURE APPARATUS
USING THE SAME

NOTIFICATION OF ERRORS IN FILING RECEIPT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Attached is a photocopy of the original filing receipt on which errors have been corrected in red. These errors are being brought to the attention of the Patent and Trademark Office so that it may correct its records. No corrected filing receipt is requested in view of the fact that the errors will not be transferred to the Letters Patent upon its issuance under the Patent and Trademark Office policy announced at 1220 O.G.42 (March 9, 1999). Please contact the undersigned if there is any question about the accuracy of these corrections.

Respectfully submitted,

James A. Oliff

Registration No. 27,074

Mario A. Costantino

Registration No. 33,565

JAO:MAC/tlk

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400

**DEPOSIT ACCOUNT USE
AUTHORIZATION**
Please grant any extension
necessary for entry;
Charge any fee due to our
Deposit Account No. 15-0461